

MAIN KITCHEN FAUCET

Features


- Solid brass construction
- High-arc 360° rotating spout allows for easy filling of large pots and cleaning
- Magnetic docking secures sprayhead into spout
- One button brass sprayhead has dual function aerated or spray mode
- Spray jets have easy-to-clean surface that withstand mineral build-up
- Quiet polymer-braided hose with rotating joint at sprayhead allows for smooth and non-binding use

- Ceramic disc cartridge
 1.8 gpm (6.8 L/min) max flow rate
 Over 30 finishes including 15 PVD finishes

Codes/Standards Applicable

Meets or exceeds the following at date of manufacture:

- ASME A112.18.1/CSA B125.1
- NSF 61 and NSF 372



					<u> </u>
XX		SIONS (in.			THROUGH-HOLE SPECIFICATION
HANDLE	Α	В	С		<u>MIN</u> <u>RECOMENDED</u> <u>MAX</u> φ1-1/4" φ1-3/8" φ1-3/8
33	$7\frac{1}{2}$	$4\frac{1}{8}$	3 13		Ψ1-114 Ψ1-310 Ψ1-310
35	$7\frac{1}{2}$	4 1/8	3 13 16		11"
			316 35 38		
40	7 1 1	15			
42	$7\frac{1}{8}$	3 15 16	3 9 16		
55	$7\frac{1}{4}$	4	3 5 8		
64	$7\frac{7}{16}$	4 1 6	3 7 8		
CLEV	7 9 16	4 3 16	3 <mark>15</mark>		
	10	10	10	0	月
					18 18 18 18 18 18
				B →	918"
					5° C -
				25°	
					10 3 "
				()	
		0			
1 9 16 MAX (WITH SPACER)			(FR)		$4\frac{3}{8}$ "
	(,	3 16 "	$\phi 2\frac{1}{4}$ " \longrightarrow
		 		1 1 1 1	
2 ¹ / ₄ " MAX (LESS SPACER)			ER)	3 7 16"	2 1/4"
		1		21"	$2\frac{1}{4}$ " \longrightarrow $17\frac{7}{8}$ "
				$ 2\frac{1}{8}$ "	
					3/8" COMPRESSION